












ACTIVITY OF APPLICATION

Make the tetralogy at the wooden structure.

Process Steps	Suggestions
<p>➤ Choose suitable hand tools for pressing.</p> 	<p>➤ Use suitable measurement crimp tool.</p>
<p>➤ Split-up front and back units for making tetralogy and glue the section cropping slotting.</p> 	<p>➤ Be careful making glue.</p>
<p>➤ Mount the intermediate horizontal parts.</p> 	<p>➤ Be careful not to mount the parts wrong.</p>

<p>➤ Make tetralogy the chair.</p> 	<p>➤ Use a wooden wedge and a hammer while you make tetralogy.</p>
<p>➤ Squeeze the chair in the tetralogy press.</p> 	<p>➤ Be careful not to squeeze your hands between shoes of press.</p>
<p>➤ It can be hammered the corner wooden wedge while the chair is in the press.</p> 	<p>➤ Start at front corner for hammering corner wooden wedge.</p>
<p>➤ Check miter of structure which is made tetralogy.</p> 	<p>➤ Be careful to be equal of diagonals.</p>

<p>➤ Check the legs irregularity of structure which is made tetralogy.</p> 	<p>➤ Check the legs irregularity on the straight floor.</p>
<p>➤ Take away the chairs which are removed from press for the next step.</p> 	<p>➤ Take away the pressing process regularly.</p>
<p>➤ Make the miter checking of the montaged structure.</p> 	<p>➤ Be careful to be equal diagonals at the miter checking.</p>
<p>➤ Make the checking legs irregularity on it.</p> 	<p>➤ Make the checking legs irregularity on the straight floor.</p>