












ACTIVITY OF APPLICATION

Make furniture frame building-up of application

Process Steps	Suggestions
<p>➤ Make preparation for need to attach the parts of a chair.</p> 	<p>➤ Be careful for sandpapared parts.</p>
<p>➤ Check the construction of combination.</p> 	<p>➤ Be careful for parts familiarised with each other.</p>
<p>➤ Glue to back legs and mortises of horizontal parts of the chair.</p> 	<p>➤ It should be caused get stained while you glue much.</p>

<p>➤ Get the other back leg to its place.</p> 	<p>➤ Start to building-up back legs first.</p>
<p>➤ Mount legs and horizontal parts in suitable places.</p> 	<p>➤ Use plastic mallet or maul when you assemble the parts.</p>
<p>➤ Press the glued legs and horizontal parts.</p> 	<p>➤ Clean extra glue before it doesn't get dried.</p>
<p>➤ Check front legs and horizontal parts.</p> 	<p>➤ Be careful for parts familiarised with each other.</p>

<ul style="list-style-type: none"> ➤ Link with front legs and mortises of horizontal parts by glue. 	<ul style="list-style-type: none"> ➤ Clean up the extra glue.
<ul style="list-style-type: none"> ➤ Press the glued parts. 	<ul style="list-style-type: none"> ➤ Take away the pressed parts regularly.
<ul style="list-style-type: none"> ➤ Check the framework structure by bevel square. 	<ul style="list-style-type: none"> ➤ Be careful to become equiangular between diagonals.
<ul style="list-style-type: none"> ➤ Check the back of the structure. 	<ul style="list-style-type: none"> ➤ Do it on the straight floor.

➤ Clean the glue residue on the parts before getting dry.



➤ Clean horizontal parts which is not being harmed.

➤ Stow away reduplicated parts.



➤ Wait for drying time enough.